



专业的平衡块生产商

Professional wheel balance weights manufacturer

沧州盛世伟业汽车配件有限公司

CANGZHOU SHENGSHIWEIYE AUTOMOBILE ACCESSORY CO.,LTD

沧州盛世伟业汽车配件有限公司

CANGZHOU SHENGSHIWEIYE AUTOMOBILE ACCESSORY CO.,LTD

ADD:Cangzhou,Hebei,China

Mobile phone:0086-18713779288


Website:www.wheelbalanceweights.com

www.ssqcpj.com

www.ssqp.net

www.tirechanger.com.cn

E-mail: wheelweight9@ssqcpj.com



Brief introduction of enterprise

沧州盛世伟业汽车配件有限公司，位于美丽的渤海之滨，历史名城河北沧州。公司成立于2006年11月，前身是始建于1996年的沧州汽车配件厂，是一家专业生产汽车维修检测设备、工具和轮胎耗材的制造厂商。拥有员工近百人，占地面积20000余平方米，建筑面积近万平方米，拥有固定资产上千万元。

公司专业生产:汽车平衡块、气门嘴、胶条、胶片、润滑脂等轮胎耗材产品以及汽车平衡机、拆胎机、四轮定位仪、举升机、补胎机、各类轮胎拆装设备和维修工具。

公司创建伊始就秉承着敬业务实，创新卓越的经营理念，立足于技术革新，研究国内外市场发展趋势，产品定位先进实用，重视产品生产检测工艺水平，积极开发让客户更满意的产品投放市场。

自1996年开始大力服务于汽车售后市场，公司与国内乃至世界各国客户达成了良好合作，先后为金龙客车、中国一汽、北汽福田、北京现代、长安福特、保定长城、陕汽重卡、上汽集团、Tiptop俄罗斯Rossvik、俄罗斯卡玛斯、泰国马自达、铃木、巴基斯坦丰田、本田、五十铃等国际国内一流汽车制造厂提供产品配套解决方案。

同时，盛世伟业始终重视并不断提升产品的工艺水平，先后通过了ISO9001-2000和TS16949产品质量管理体系认证，德国莱茵CE、法国BV、英国LNTERTEK和UKCA以及沙特的SASO等诸多国际认证。

公司先后取得了国内商标注册两项、国际商标6项、其中美国一项、欧洲三项、俄罗斯一项、中东市场一项，先后取得发明制造和实用新型以及外观专利二十余项，盛世伟业的产品在北美、南美、欧洲、东南亚、非洲和中东等国内外市场受到诸多客户的喜爱与青睐。

盛世人始终坚持“质量第一，客户至上”的原则，坚定的与新老客户一起携手共赢!

Cangzhou Shengshiweiye Automobile Accessory Co., Ltd. is located in the beautiful historical city of Cangzhou, Hebei, on the coast of the Bohai Sea.

The company specializes in the production of wheel balance weight, tire valve, tire seal string, tire patch, tire mounting paste and other tire consumables, and wheel balancer, tire changer, wheel alignment, car lift, tire repair machines, various tire disassembly equipment and repair tools.

The company specializes in the production of wheel balancer, tire changer, wheel alignment, car lift, tire repair machines, various tire disassembly and repair tools, wheel balance weight, tire valve, tire seal string, tire patch, tire mounting paste and other tire consumables.

At the beginning of its establishment, the company adhered to the core concept of dedication, pragmatism, and innovation excellence. Based on technological innovation, it studied the development trends of domestic and foreign markets, positioned its products as advanced and practical, valued the level of product production and testing technology, and actively developed products that would satisfy customers and put them on the market.

Since 1996, the company has been vigorously serving the automotive after-sales market and has established good cooperation with customers from both domestic and international markets. It has successively provided services to King Long, FAWChina, BAIC Foton, Beijing Hyundai, Changan Ford, Baoding Great wall, Shanxi Automobile Heavy Truck, SAIC Group, TiptopRussia Rossvik, Russia Camus, Thailand Mazda, Suzuki Pakistan Toyota, Honda, Isuzu and other international and domestic first-class car maker manufacturers to provide product supporting solutions.

At the same time, Shengshiweiye has always attached great importance to and continuously improved the technological level of its products. It has successively passed ISO9001-2000 and TS16949 product quality management system certifications, Rheinland CE, BV, LNTERTEK and UKCA, and SASO and many other international standards certifications. The company has obtained two domestic trademark registrations and six international trademarks, including one in the United States, three in Europe, one in Russia, and one in the Middle East market. It has obtained more than 20 patents for invention, manufacturing, utility models, and appearance. Shengshiweiye's products are in North America, South America, Europe, and Southeast Asia. Domestic and foreign markets such as Africa and the Middle East are loved and favored by many customers.

Shengshi people will be always adhering to the principle of "quality first, customer first", and firmly working with new and old customers with a win-win situation!

Zn	ZINC		ALUMINUM RIM		PASSENGER CAR		COATED
Pb	LEAD		STEEL RIM		MOTORCYCLE		OEM PRODUCT
Fe	STEEL				LIGHT TRUCK		
PP	POLY				TRUCK		

资质证书 INTELLIGENCE NORTHPLPEPAPER





铁质卡钩式平衡块 / Fe Clip On Wheel Weights

S-FE001C	<p>适用于多款轿车铝合金轮毂 镀锌及静电喷涂处理</p> <table border="1"> <tr> <th>规格</th> <th>包装</th> </tr> <tr> <td>5g~30g</td> <td>100个/盒</td> </tr> <tr> <td>35g~60g</td> <td>50个/盒</td> </tr> </table> <p>Iron universal balance weight can be applied to most alloy rims Plastic coated</p> <table border="1"> <tr> <th>Size in Gram</th> <th>Packing</th> </tr> <tr> <td>5g~30g</td> <td>100pcs/box</td> </tr> <tr> <td>35g~60g</td> <td>50pcs/box</td> </tr> </table>	规格	包装	5g~30g	100个/盒	35g~60g	50个/盒	Size in Gram	Packing	5g~30g	100pcs/box	35g~60g	50pcs/box
规格	包装												
5g~30g	100个/盒												
35g~60g	50个/盒												
Size in Gram	Packing												
5g~30g	100pcs/box												
35g~60g	50pcs/box												

S-FE002C	<p>表面镀锌 适用于FN系列轿车轮毂</p> <table border="1"> <tr> <th>规格</th> <th>包装</th> </tr> <tr> <td>5g~30g</td> <td>100个/盒</td> </tr> <tr> <td>35g~60g</td> <td>50个/盒</td> </tr> </table> <p>Iron universal balance weight can be applied to FN series carrims zinc plated</p> <table border="1"> <tr> <th>Size in Gram</th> <th>Packing</th> </tr> <tr> <td>5g~30g</td> <td>100pcs/box</td> </tr> <tr> <td>35g~60g</td> <td>50pcs/box</td> </tr> </table>	规格	包装	5g~30g	100个/盒	35g~60g	50个/盒	Size in Gram	Packing	5g~30g	100pcs/box	35g~60g	50pcs/box
规格	包装												
5g~30g	100个/盒												
35g~60g	50个/盒												
Size in Gram	Packing												
5g~30g	100pcs/box												
35g~60g	50pcs/box												

S-FE003C	<p>静电喷涂处理ST系列适用于多款轿车钢轮毂</p> <table border="1"> <tr> <th>规格</th> <th>包装</th> </tr> <tr> <td>5g~30g</td> <td>100个/盒</td> </tr> <tr> <td>35g~60g</td> <td>50个/盒</td> </tr> </table> <p>The ST series is Iron universal balance weight can beapplied to most steel rims Plastic coated</p> <table border="1"> <tr> <th>Size in Gram</th> <th>Packing</th> </tr> <tr> <td>5g~30g</td> <td>100pcs/box</td> </tr> <tr> <td>35g~60g</td> <td>50pcs/box</td> </tr> </table>	规格	包装	5g~30g	100个/盒	35g~60g	50个/盒	Size in Gram	Packing	5g~30g	100pcs/box	35g~60g	50pcs/box
规格	包装												
5g~30g	100个/盒												
35g~60g	50个/盒												
Size in Gram	Packing												
5g~30g	100pcs/box												
35g~60g	50pcs/box												

S-FE004C	<p>静电喷涂处理P系列适用于多款轿车钢轮毂</p> <table border="1"> <tr> <th>规格</th> <th>包装</th> </tr> <tr> <td>5g~30g</td> <td>100个/盒</td> </tr> <tr> <td>35g~60g</td> <td>50个/盒</td> </tr> </table> <p>The P series is Iron universal balance weight can beapplied to most steel rims Plastic coated</p> <table border="1"> <tr> <th>Size in Gram</th> <th>Packing</th> </tr> <tr> <td>5g~30g</td> <td>100pcs/box</td> </tr> <tr> <td>35g~60g</td> <td>50pcs/box</td> </tr> </table>	规格	包装	5g~30g	100个/盒	35g~60g	50个/盒	Size in Gram	Packing	5g~30g	100pcs/box	35g~60g	50pcs/box
规格	包装												
5g~30g	100个/盒												
35g~60g	50个/盒												
Size in Gram	Packing												
5g~30g	100pcs/box												
35g~60g	50pcs/box												

铁质卡钩式平衡块 / Fe Clip On Wheel Weights

S-FE005C	<p>适用于多款轿车铝合金轮毂 静电喷涂处理</p> <table border="1"> <tr> <th>规格</th> <th>包装</th> </tr> <tr> <td>5g~30g</td> <td>100个/盒</td> </tr> <tr> <td>35g~60g</td> <td>50个/盒</td> </tr> </table> <p>Iron universal balance weight can be applied tomost alloy rims Plastic coated</p> <table border="1"> <tr> <th>Size in Gram</th> <th>Packing</th> </tr> <tr> <td>5g~30g</td> <td>100pcs/box</td> </tr> <tr> <td>35g~60g</td> <td>50pcs/box</td> </tr> </table>	规格	包装	5g~30g	100个/盒	35g~60g	50个/盒	Size in Gram	Packing	5g~30g	100pcs/box	35g~60g	50pcs/box
规格	包装												
5g~30g	100个/盒												
35g~60g	50个/盒												
Size in Gram	Packing												
5g~30g	100pcs/box												
35g~60g	50pcs/box												


S-FE006C	<p>适用于马自达轿车轮毂 静电喷涂处理</p> <table border="1"> <tr> <th>规格</th> <th>包装</th> </tr> <tr> <td>5g~30g</td> <td>100个/盒</td> </tr> <tr> <td>35g~60g</td> <td>50个/盒</td> </tr> </table> <p>Iron universal balance weight can be applied toMazda steel rim Plastic coated</p> <table border="1"> <tr> <th>Size in Gram</th> <th>Packing</th> </tr> <tr> <td>5g~30g</td> <td>100pcs/box</td> </tr> <tr> <td>35g~60g</td> <td>50pcs/box</td> </tr> </table>	规格	包装	5g~30g	100个/盒	35g~60g	50个/盒	Size in Gram	Packing	5g~30g	100pcs/box	35g~60g	50pcs/box
规格	包装												
5g~30g	100个/盒												
35g~60g	50个/盒												
Size in Gram	Packing												
5g~30g	100pcs/box												
35g~60g	50pcs/box												

S-FE007C	<p>EN系列平衡块适用于奥迪、宝马、本田、福特、大众、奔驰等轿车铝合金轮毂,表面进行静电喷涂处理</p> <table border="1"> <tr> <th>规格</th> <th>包装</th> </tr> <tr> <td>5g~30g</td> <td>100个/盒</td> </tr> <tr> <td>35g~60g</td> <td>50个/盒</td> </tr> </table> <p>The EN series balance weight is used on Audi,Mercedes Benz and early model Japanese autowith alloy wheels. powder coated .Size in Gram</p> <table border="1"> <tr> <th>Packing</th> <th>Size in Gram</th> </tr> <tr> <td>100pcs/box</td> <td>5g~30g</td> </tr> <tr> <td>50pcs/box</td> <td>35g~60g</td> </tr> </table>	规格	包装	5g~30g	100个/盒	35g~60g	50个/盒	Packing	Size in Gram	100pcs/box	5g~30g	50pcs/box	35g~60g
规格	包装												
5g~30g	100个/盒												
35g~60g	50个/盒												
Packing	Size in Gram												
100pcs/box	5g~30g												
50pcs/box	35g~60g												


S-FE008C	<p>IAW系列平衡块适用于多款欧系及亚洲车系如奥迪、宝马、凯迪拉克、捷豹、起亚、尼桑、丰田、大众、沃尔沃等铝合金轮毂</p> <table border="1"> <tr> <th>规格</th> <th>包装</th> </tr> <tr> <td>5g~30g</td> <td>100个/盒</td> </tr> <tr> <td>35g~60g</td> <td>50个/盒</td> </tr> </table> <p>The IAW series is fitted on most European and Asian auto withalloy wheels like Audi, BMW, Csdillac, Jaguar, Kia,Nissan,ToyotaVolkswagen, Volvo:Epoxy polyester coatingSize in Gram</p> <table border="1"> <tr> <th>Packing</th> <th>Size in Gram</th> </tr> <tr> <td>100pcs/box</td> <td>5g~30g</td> </tr> <tr> <td>50pcs/box</td> <td>35g~60g</td> </tr> </table>	规格	包装	5g~30g	100个/盒	35g~60g	50个/盒	Packing	Size in Gram	100pcs/box	5g~30g	50pcs/box	35g~60g
规格	包装												
5g~30g	100个/盒												
35g~60g	50个/盒												
Packing	Size in Gram												
100pcs/box	5g~30g												
50pcs/box	35g~60g												




铁质卡钩式平衡块 / Fe Clip On Wheel Weights

<p>S-FE009C</p> 	<p>AW系列平衡块适用于多款欧美车系铝合金轮毂 规格 包装 0.250z~10Z 100个/盒 1.250z~30z 50个/盒</p> <p>The AW series is fitted on Chrysler,Dodge,CM alloy wheels Surface:Epoxy polyester coating Size in Gram Packing 0.250z~10Z 100pcs/box 1.250z~30z 50pcs/box</p>
--	--

<p>S-FE010C</p> 	<p>P系列平衡块适用于普通轿车13"~15"钢轮毂 规格 包装 0.250z~10Z 100个/盒 1.250z~30z 50个/盒</p> <p>The P series is used on standard passenger car13"~15" steel wheels Surface:Epoxy polyester coating Size in Gram Packing 0.250z~10Z 100pcs/box 1.250z~30z 50pcs/box</p>
--	---

<p>S-FE011C</p> 	<p>FN系列平衡块适用于多款日系车铝合金轮毂 规格 包装 0.250z~10Z 100个/盒 1.250z~30z 50个/盒</p> <p>The FN series is used on Japanese auto with alloy wheelslike Honda, Toyota, Lexus, Nissan, Acura, Infiniti Surface:Epoxy polyester coating Size in Gram Packing 0.250z~10Z 100pcs/box 1.250z~30z 50pcs/box</p>
--	--

<p>S-FE012C</p> 	<p>MC系列平衡块适用于多款北美系车铝合金轮毂 规格 包装 0.250z~10Z 100个/盒 1.250z~30z 50个/盒</p> <p>The MC series is used on North America auto with alloy wheels Surface:Epoxy polyester coating Size in Gram Packing 0.250z~10Z 100pcs/box 1.250z~30z 50pcs/box</p>
--	--

铁质卡钩式平衡块 / Fe Clip On Wheel Weights

<p>S-HHQ01</p> 	<p>适用于中巴车5.5x16,6.5x16型号钢圈 规格:50g~300g Suitable for steel rims of models 5.5x16,6.5x16on minibuses Size: 50g~300g</p>
---	---

<p>S-HHN2</p> 	<p>适用于重型卡车7.0-8.0型号钢圈 规格:50g~300g Suitable for heavy-duty truck models7.0~8.0 steel rims Size: 50g~300g</p>
--	---

<p>S-HHN3</p> 	<p>适用于真空胎、大巴车9.0x22.5型号钢圈 规格:50g~300g Suitable for vacuum tires and bus models9.0x22.5 steel rims Size: 50g~300g</p>
--	--

<p>S-ST9.0</p> 	<p>适用于9.0x22.5型号钢圈 规格:50g~300g Suitable for 9.0 x22.5 model steel rims Size: 50g~300g</p>
---	---

<p>S-HH150</p> 	<p>适用于卡车，大巴车真空胎车 8.5x22.5,9.0x22.5型号钢圈 规格:50g~300g Suitable for trucks, buses, vacuum tires, 8.5 x22.5,9.0x22.5 models of steel rims</p>
---	--





铁质粘贴式平衡块 / Fe Stick On Wheel Weights

	<p>规格:5g*12 表面处理:镀锌 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification: 5g*12 segments Surface treatment: Zinc Plated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	---

	<p>规格:(5+10)g*4 表面处理:镀锌 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification:(5+10)g*4 segments Surface treatment: Zinc Plated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	--

	<p>铁粘宽边 规格:5g*12 表面处理:镀锌 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification: 5g*12 segments Surface treatment: Zinc Plated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	---

	<p>铁粘宽边 规格:(5+10)g*4 表面处理:镀锌 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification:(5+10)g*4 segments Surface treatment: Zinc Plated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	--

铁质粘贴式平衡块 / Fe Stick On Wheel Weights

	<p>规格:5g*12 表面处理:灰色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification: 5g*12 segments Surface treatment: Gray coated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	---

	<p>铁粘宽边 规格:(5+10)g*4 表面处理:灰色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification:(5+10)g*4 segments Surface treatment: Gray coated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	--

	<p>规格:5g*12 表面处理:黑色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification: 5g*12 segments Surface treatment: Black coated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	--

	<p>铁粘宽边 规格:(5+10)g*4 表面处理:黑色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification:(5+10)g*4 segments Surface treatment: Black coated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	---



铁质粘贴式平衡块/Fe Stick On wheel Weights

铁质粘贴式平衡块/Fe Stick On wheel Weights

<p>S-FE009A</p> 	<p>规格:5g*12 表面处理:镀锌 厚度:3.5mm 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification:(5+10)g*4 segments Surface treatment: Zinc Plated Thickness:3.8mm Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	---

<p>S-FE013A</p> 	<p>规格:25g*4 表面处理:镀锌 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:30条/盒;8盒/箱 Fe Adhesive Wheel Weight Specification: 25g*4 segments Surface treatment: Zinc Plated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape TapePackaging:30PCS/BOX;8 BOXES/CARTON</p>
---	---

<p>S-FE010A</p> 	<p>规格:(5+10)g*4 表面处理:镀锌 厚度:3.5mm 胶带:蓝胶/3M胶/自胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification:(5+10)g*4 segments Surface treatment: Zinc Plated Thickness:3.8mm Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	---

<p>S-FE014A</p> 	<p>规格:2.5g*12 表面处理:镀锌 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;4盒/箱 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification:5g*12 segments Surface treatment: Zinc Plated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape TapePackaging:100PCS/BOX;4BOXES/CARTON</p>
---	---


<p>S-FE011A</p> 	<p>规格:5g*12 表面处理:灰色喷涂 厚度:3.5mm 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification: 5g*4 segments Surface treatment: Gray coated Thickness: 3.5mm Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	--

<p>S-FE015A</p> 	<p>规格:5g+10g+15g 厚度:5mm 表面处理:镀锌或喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;6盒/箱适用于摩托车 Fe Adhesive Wheel Weight for motorcycles Specification: 5g+10g+15g Surface treatment: Zinc Plated or Spray Coated Tape: Blue Tape/3M Tape/White Tape/ Norton Tape TapePackaging:100PCS/BOX;6BOXES/CARTON</p>
---	---

<p>S-FE012A</p> 	<p>规格:5g*12 表面处理:黑色喷涂 厚度:3.5mm 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:100条/盒;50条/盒 Fe Adhesive Wheel Weight with Easy-Peel Tape Specification:5g*4 segments Surface treatment: Black coated Thickness: 3.5mm Tape: Blue Tape/3M Tape/White Tape/ Norton Tape Box Packaging:100PCS/BOX;50PCS/BOX</p>
---	--



Easy-Peel
Extended Tape





铁质粘贴式平衡块/Fe Stick On wheel Weights

铁质粘贴式平衡块/Fe Stick On wheel Weights

<p>S-FE016A</p> 	<p>规格:1/40z*12 表面处理:镀锌 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:50条/盒;6盒/箱 Fe Adhesive Wheel Weight Specification:1/40z*12 segments Surface treatment: Zinc Plated Tape:Blue Tape/3M Tape/White Tape/ Norton TapePackaging:50PCS/BOX;6BOXES/CARTON</p>
---	---

<p>S-FE020A</p> 	<p>规格:1/20z*6 表面处理:镀锌 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:30条/盒;4盒/箱 Fe Adhesive Wheel Weight Specification:1/20z*6 segments Surface treatment: Zinc Plated Tape: Blue Tape/3M Tape/White Tape/ Norton TapePackaging:30PCS/BOX;4BOXES/CARTON</p>
---	--

<p>S-FE017A</p> 	<p>规格:1/40z*12 表面处理:灰色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:50条/盒;6盒/箱 Fe Adhesive Wheel Weight Specification:1/40z*12 segments Surface treatment: Gray coated Tape: Blue Tape/3M Tape/White Tape/ Norton TapePackaging:50PCS/BOX;6BOXES/CARTON</p>
---	--

<p>S-FE021A</p> 	<p>规格:1/20z*6 表面处理:灰色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:50条/盒;6盒/箱 Fe Adhesive Wheel Weight Specification:1/20z*6 segments Surface treatment: Gray coated Tape: Blue Tape/3M Tape/White Tape/ Norton TapePackaging:50PCS/BOX;6BOXES/CARTON</p> 
---	--

<p>S-FE018A</p> 	<p>规格:1/40z*12 表面处理:灰色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:50条/盒;6盒/箱 Square Fe Adhesive Wheel Weight Specification: 1/40z*12 segments Surface treatment: Gray coated Tape: Blue Tape/3M Tape/White Tape/ Norton TapePackaging:50PCS/BOX;6BOXES/CARTON</p>
---	--

<p>S-FE022A</p> 	<p>规格:1/20z*6 表面处理:黑色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:50条/盒;6盒/箱 Fe Adhesive Wheel Weight Specification: 1/20z*6 segments Surface treatment: Black coated Tape:Blue Tape/3M Tape/White Tape/ Norton TapePackaging:50PCS/BOX;6BOXES/CARTON</p>
---	---

<p>S-FE019A</p> 	<p>规格:1/40z*12 表面处理:黑色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:50条/盒;6盒/箱 Fe Adhesive Wheel Weight Specification: 1/40z*12 segments Surface treatment: Black coated Tape: Blue Tape/3M Tape/White Tape/ Norton TapePackaging:50PCS/BOX;6BOXES/CARTON</p>
---	--

<p>S-FE023A</p> 	<p>规格:10g*10 表面处理:灰色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:50条/盒;5盒/箱 Fe Adhesive Wheel Weight Specification:10g*10 segments Surface treatment: Grey coated Tape: Blue Tape/3M Tape/White Tape/ Norton TapePackaging:50PCS/BOX;5BOXES/CARTON</p>
---	--



铁质粘贴式平衡块/Fe Stick On wheel Weights

 <p>S-FE024A</p>	<p>规格:10z*4 表面处理:镀锌 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:30条/盒;6盒/箱 Fe Adhesive Wheel Weight Specification:10z*4 segments Surface treatment: Zinc Plated Tape: Blue Tape/3M Tape/White Tape/ Norton TapePackaging:30PCS/BOX;6BOXES/CARTON</p>
--	--

 <p>S-FE025A</p>	<p>规格:10z*6 表面处理:灰色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:30条/盒;4盒/箱 Square Fe Adhesive Wheel Weight Specification: 10z*6 segments Surface treatment: Gray coated Tape: Blue Tape/3M Tape/White Tape/ Norton TapePackaging:30PCS/BOX;4BOXES/CARTON</p>
--	--

 <p>S-FE026A</p>	<p>规格:10z*6 表面处理:黑色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:30条/盒;4盒/箱 Square Fe Adhesive Wheel Weight Specification:10z*6 segments Surface treatment: Black coated Tape: Blue Tape/3M Tape/White Tape/ Norton TapePackaging:30PCS/BOX;4BOXES/CARTON</p>
---	--








 <p>S-FE027A</p>	<p>规格:20z*4 表面处理:灰色喷涂 胶带:蓝胶/3M胶/白胶/诺顿胶 包装:30条/盒;4盒/箱 Square Fe Adhesive Wheel Weight Specification:20z*2 segments Surface treatment: Gray coated Tape: Blue Tape/3M Tape/White Tape/ Norton TapePackaging:30PCS/BOX;4BOXES/CARTON</p>
--	---



环保卷 ECO ROLLS

S-FE-RE(electroplate)
 S-FE-RG(grey plastic coating)
 S-FE-RB (black plastic coating)
 Universal 5Kg
 The same as the 60g strips but in roll form.Width
 19mm/21mm ,height 3.8mm
 Box quantities:1 roll per box 150 rolls per pallet.
 规格:
 5gx1000/5gx1200
 10gx500
 7g(0.250z)x715/7g(0.250z)x1280
 14g(0.50z)x640
 表面处理:镀锌或喷涂
 Specification:
 5gx1000/5gx1200
 10gx500
 7g(0.250z)x715/7g(0.250z)x1280
 14g(0.50z)x640
 Surface treatment: Zinc Plated or Spray Coated

TAPES AVAILABLE IN REGULAR AND EASYPEEL STYLE

	
Blue Tape	Red Tape
	
Paper Tape	3M Tape
	
Norton Tape	Lohmann Tape
	
White Tape	



ROLL HOLDER

Designed to hold 5Kg rolls
 Quality construction,requires
 bolting to the floor.Single roll
 holder also available.




铅质卡钩式平衡块 / Lead Clip On Wheel Weight

S-PB001C		<p>适用于轿车钢轮毂 规格 包装 5g~30g 100个/盒 35g~60g 50个/盒 Universal balance weight for steel rims Size in GR Packing 5g ~30g 100pcs/box 35g ~60g 50pcs/box</p>
-----------------	---	--

S-PB002C		<p>适用于轿车铝合金轮毂 规格 包装 5g~30g 100个/盒 35g~60g 50个/盒 Universal balance weight for alloy rims Size in GR Packing 5g ~30g 100pcs/box 35g ~60g 50pcs/box</p>
-----------------	---	--

S-PB003C		<p>适用于轿车铝合金轮毂 规格 包装 5g~30g 100个/盒 35g~60g 50个/盒 Balance weight for alloy rims Size in GR Packing 5g ~30g 100pcs/box 35g ~60g 50pcs/box</p>
-----------------	---	--

S-PB004C		<p>适用于日系轿车铝合金轮毂 规格 包装 5g~30g 100个/盒 35g~60g 50个/盒 The "FN"series balance weight for Japanese withalloy rims mostly Nissan and Toyota Size in GR Packing 5g ~30g 100pcs/box 35g ~60g 50pcs/box</p>
-----------------	---	---

铅质卡钩式平衡块 / Lead Clip On Wheel Weight

S-PB005C		<p>MC 盎司系列 规格 包装 0.250z-10z 100个/盒 1.250z-30Z 50个/盒 MC series in ounce size Packing 0.250z-10z 100pcs/box 1.250z-30Z 50pcs/box</p>
-----------------	---	--

S-PB006C		<p>AW 盎司系列 规格 包装 0.250z-10z 100个/盒 1.250z-30Z 50个/盒 AW series in ounce size Packing 0.250z-10z 100pcs/box 1.250z-30Z 50pcs/box</p>
-----------------	---	--

S-PB007C		<p>P 盎司系列 规格 包装 0.250z-10z 100个/盒 1.250z-30Z 50个/盒 P series in ounce size Packing 0.250z-10z 100pcs/box 1.250z-30Z 50pcs/box</p>
-----------------	---	--



Select the correct application

Using a wheel weight application guide or a rim gauge, select the correct clip-on wheel weight for the vehicle you are servicing. For the premium alloy wheels, it is always best to use adhesive weights to ensure a scratch less installation.



Correctly place the weight on the rim

Place the clip-on wheel weight in the correct location of the imbalance. Make sure that the top and the bottom of the clip are touching the rim flange before striking the wheel weight. Please use a soft-tip installation hammer to ensure a scratch less installation.



Strike the weight only two times

Once the clip-on wheel weight is properly aligned, strike the clip area with the soft-tip installation hammer in two times. Striking the area more than twice could result in clip retention failure or weight movement. Weight misapplication is the main cause of balance failure.



Check the weight for a secure fit

After installing the clip-on wheel weight, check to make sure that it is properly secured to the rim flange. The wheel weight should not slid side to side or rock up or down.

铅质卡钩式平衡块 / Lead Clip On Wheel Weight

<p>S-PB008C</p> 	<p>校验块, 专用于车轮动平衡 规格 包装 100g 50个/盒 The calibration wheel weight is dedicated to wheeldynamic balancing Size in GR Packing 100g 50pcs/box</p>
--	---

<p>S-PB009C</p> 	<p>适用范围:卡车铝合金轮毂 规格:50g, 100g, 150g, 200g, 250g, 300g, 350g, 400g, 450g, 500g 表面处理:原色或静电喷涂 Pb clip-on wheel weight for Truck Surface: Uncoated or Coated Sizes in Gram 50g, 100g, 150g, 200g, 250g, 300g, 350g:400g, 450g, 500g</p>
--	--


<p>S-PB010C</p> 	<p>专用于日系本田轿车铝合金轮毂 规格: 包装 5g~30g 100个/盒 35g~60g 50个/盒 Applied for Japanese auto ,Honda Size in Gram Packing 5g~30g 100pcs/box 35g~60g 50pcs/box</p>
---	--

<p>S-PB011C</p> 	<p>适用范围:8.0x22.5 9.0x22.5 型号钢圈规 格:50,60,70,80,100,120,150,200,250,300g 表面处理:本色或静电喷涂 Lead/pb clip on wheel weight for truck Application:8.0x22.5 9.0x22.5 type steel rim Size:50,60,70,80,100,120,150,200,250,300g Surface:Uncoated or Coated</p>
--	--

铅质卡钩式平衡块 / Lead Clip On Wheel Weight

<p>S-PB012C</p> 	<p>适用范围:沃尔沃系列客车及卡车轮胎 规格:50g, 100g, 150g, 200g, 250g, 300g, 350g, 400g, 450g, 500g 表面处理:本色或静电喷涂 Lead/pb clip on wheel weight for bus Application: Volvo series bus and truck tires Size:50g, 100g, 150g, 200g, 250g, 300g, 350g, 400g, 450g, 500g Surface:Uncoated or Coated</p>
--	---

<p>S-PB013C</p> 	<p>适用范围:厦门金龙、苏州金龙及卡车轮胎 规格:50g, 100g, 150g, 200g, 250g, 300g, 350g,400g, 450g, 500g 表面处理:本色或静电喷涂 Lead/pb clip on wheel weight for bus Application:Xiamen Jinlong, Suzhou Jinlong, andtruck tires Size:50g, 100g, 150g, 200g, 250g, 300g, 350g,400g, 450g, 500g Surface:Uncoated or Coated</p>
--	--





铅质粘贴式平衡块 / Lead Stick On Wheel Weight

<p>S-PB001A</p> 	<p>适用于轿车铝合金轮毂 规格:5gx4+10gx4 尺寸:105x18x4mm Universal adhesive wheel weight with blue tape.5gx4+10gx4,size is 105x18x4mm</p>
---	--


<p>S-PB002A</p> 	<p>适用于轿车铝合金轮毂 规格:5gx4+10gx4 尺寸:109x15x5mm Universal adhesive wheel weight with blue tape. 5gx4+10gx4,size is 109x15x5mm</p>
---	---


<p>S-PB003A</p> 	<p>适用于轿车铝合金轮毂 规格:1/40zx12 尺寸:155x19x3.0mm Pb Adhesive wheel weight1/40zx12 segments Surface: Uncoated or CoatedLxWxH:155x19x3.0mm Box Qty: 48 strips/box</p>
--	--


<p>S-PB004A</p> 	<p>适用于轿车铝合金轮毂 规格:5gx12 尺寸:102x18x4mm Slim adhesive wheel weight with blue tape. 5gx12,size is 102x18x4mm</p>
---	--

铅质粘贴式平衡块 / Lead Stick On Wheel Weight

<p>S-PB005A</p> 	<p>中巴、大巴车轮毂用平衡块 规格:30g,50g,100g 表面做环氧树脂喷涂处理 universal wheel weights for Bus and truck Spe.:30g,50g,100g Surface:Coated or Uncoated</p>
---	--

<p>S-PB006A</p> 	<p>Pb Adhesive wheel weight 1/20zx12 segments Surface:Uncoated or Coated LxWxH:190x19.3x4mm Box Qty:40 strips/box</p>
---	---

<p>S-PB-007A</p> 	<p>摩托车用粘贴式平衡块 Pb Adhesive wheel weight (5g+10g)x6 segments 20gx10 segments Surface:Uncoated or Coated Box QTY:20 strips/box</p>
--	---



We are prepared 4 kinds of adhesive tapes for you choices
Norton adhesive tape
3M Red adhesive tape
White adhesive tape
Blue adhesive tape
Also, the adhesive tape Available in easy-peel




wheel weight removal tool
平衡块铲




锌质卡勾式平衡块 / Zinc Clip On Wheel Weight

S-ZN001C	 <p>T系列平衡块适用于多款欧美系轿车钢轮毂 规格 包装 0.250z~10z 100个/盒 1.250z~20z 50个/盒 2.250z~30z 25个/盒 The T series balance weight is suitable for multiple European and American series sedans with steel wheels Size in Ounce Packing 0.250z~1 Oz 100pcs/box 1.250z~2 Oz 50pcs/box 2.250z~3 Oz 25pcs/box</p>
----------	--

S-ZN002C	 <p>P系列平衡块适用于多款欧美系轿车钢轮毂 规格 包装 0.250z~10z 100个/盒 1.250z~20z 50个/盒 2.250z~30z 25个/盒 The P series Zinc balance weight is for American steel rims wheels Size in Ounce Packing 0.250z~1 Oz 100pcs/box 1.250z~2 Oz 50pcs/box 2.250z~3 Oz 25pcs/box</p>
----------	--

S-ZN003C	 <p>AW系列平衡块适用于多款欧美系轿车铝合金轮毂 规格 包装 0.250z~10z 100个/盒 1.250z~20z 50个/盒 2.250z~30z 25个/盒 AW series balance weights are suitable for aluminum alloy wheels of multiple European and American series sedans wheels Size in Ounce Packing 0.250z~1 Oz 100pcs/box 1.250z~2 Oz 50pcs/box 2.250z~3 Oz 25pcs/box</p>
----------	---

S-ZN004C	 <p>MC系列适用于多款轿车铝合金轮毂 规格 包装 0.250z~10z 100个/盒 1.250z~20z 50个/盒 2.250z~30z 25个/盒 The MC series is suitable for multiple car aluminum alloy wheels Size in Ounce Packing 0.250z~1 Oz 100pcs/box 1.250z~2 Oz 50pcs/box 2.250z~3 Oz 25pcs/box</p>
----------	---

锌质卡勾式平衡块 / Zinc Clip On Wheel Weight

S-ZN005C	 <p>静电喷涂处理适用于多款轿车钢轮毂 规格 包装 5g~30g 100个/盒 35g~60g 50个/盒 Zinc universal balance weight can be applied to most steel rims Plastic coated wheels Size in GR Packing 5g~30g 100pcs/box 35g~60g 50pcs/box</p>
----------	--

S-ZN006C	 <p>适用于多款轿车钢轮毂 规格 包装 5g~30g 100个/盒 35g~60g 50个/盒 表面处理:静电喷涂 Zinc universal balance weight can be applied to most steel rims Size in GR Packing 5g~30g 100pcs/box 35g~60g 50pcs/box Surface treatment: Plastic coated</p>
----------	--

S-ZN007C	 <p>适用于多款轿车铝合金轮毂 规格:5g-30g, 35g-60g 包装:100块/盒, 50块/盒 表面处理:静电喷涂 Zinc universal balance weight can be applied to multiple car aluminum alloy wheels Size in GR:5g-30g, 35g-60g Packing:100pcs/box, 50pcs/box Surface treatment: Plastic coated</p>
----------	---

S-ZN008C	 <p>适用于多款轿车铝合金轮毂 规格:5g-30g, 35g-60g 包装:100块/盒, 50块/盒 表面处理:静电喷涂 Zinc universal balance weight can be applied to multiple car aluminum alloy wheels Size in GR:5g-30g, 35g-60g Packing:100pcs/box, 50pcs/box Surface treatment: Plastic coated</p>
----------	---



锌质粘贴式平衡块/Zinc Stick On Wheel Weight

S-ZN001A




规格:5gx4+10gx4
尺寸:150x18x3.8mm
universal zinc balance weight individually separable with blue tape,3M tape
5gx4+10gx4
Size:150x18x3.8mm

S-ZN002A



规格:5gx4+10gx4
尺寸:150x18x3.8mm
The "SHENGSHI" series balance weight individually separable for french alloy rims
5gx4+10gx4
Size:150x18x3.8mm

S-ZN003A



规格:5gx12
尺寸:153x18x3.8mm
universal zinc balance weight individually separable with blue tape,3M tape
5gx12
Size:153x18x3.8mm

S-ZN004A



规格:1/40zx12
厚度:3.8mm
表面处理:静电喷涂
Spec:1/40zx1
2Size: 3.8mm thickness
Surface: Epoxy polyester coating

PRODUCTION AND SERVICES



Raw material workshop



Forging workshop



Galvanizing workshop



Spraying workshop



Pasting workshop



Packing workshop

QUALITY CONTROL



Usage test



Monitoring in production



Weight test



Salt-spray test



Hardness Testing



Pull test