

VACUUM ELECTRIC TIRE CHANGER



盛世伟业
SHENG SHI WEI YE

Cangzhou Shengshiweiye
Automobile Accessory Co., Ltd

Vacuum tire changer, the following parameters:

Note : Electric vacuum tire changer

380V big motor model(800 model) ,

This product adopts planetary gear reducer, reducer adopts cast iron shell, strong and durable, the motor increases power (4KW), low output speed (4 RPM), large torque. Can work at minus 30°C, the weight of the machine is 135Kg, stable and reliable.

800



New Upgrade Enlarged Blade

THE ZHENGMAO 105 BLADE WIND GUN

STRONG OUTPUT

INCREASED TORQUE

Inlet pressure: 0.8-1.2MPA

Rotate speed: 5 RPM

Rccording to inlet flow rate

N.W:: 50kgs

G.W:95kgs

Product size: 610*360*225cm

600



盛世伟业
SHENG SHI WEI YE

Suitable tire models: 22.5" series vacuum tyres(16"/17.5-19.5" optional)

4kW Pure copper motor

MAINTENANCE IS MORE CONVENIENT

MULTI-LEVEL DECELERATION

Motor power: 4KW

Rotate speed: 6 RPM

Weight: 113kgs

Voltage: 220V

Product size: 740*400*230mm

680



盛世伟业
SHENG SHI WEI YE

Suitable tire models: 22.5" series vacuum tyres(16"/17.5-19.5" optional)



盛世伟业
SHENG SHI WEI YE

780



4kW Pure copper motor

MAINTENANCE IS MORE CONVENIENT

MULTI-LEVEL DECELERATION

Motor power: 4KW

Rotate speed: 4 RPM

Weight: 113kgs

Voltage: 380V

Product size: 740*400*230mm

Suitable tire models: 22.5" series vacuum tyres(16"/17.5-19.5" optional)



盛世伟业
SHENG SHI WEI YE

780 Single-Cylinder

Increased the double throttle cylinder

4KW PURE COPPER MOTOR

MULTI-LEVEL DECELERATION

ITIRE REMOVAL IS MORE POWERFUL

Motor power: 4KW

Inlet pressure: 0.8-1.2MPA

Rotate speed: 4 RPM

Weight: 135kgs

Voltage: 380V

Product size: 800*450*280mm



Suitable tire models: 22.5" series vacuum tyres(16"/17.5-19.5" optional)



— 盛世伟业 —
SHENG SHI WEI YE

800

New upgrade 8 spline shaft

4KW PURE COPPER MOTOR

MAINTENANCE IS MORE CONVENIENT

MULTI-LEVEL DECELERATION

Motor power: 4KW

Rotate speed: 4 RPM

Weight: 135kgs

Voltage: 380V

Product size: 830*400*230mm



Suitable tire models: 22.5" series vacuum tyres(16"/17.5-19.5" optional)



盛世伟业
SHENG SHI WEI YE

800 Single-Cylinder

Increased the double throttle cylinder

4KW PURE COPPER MOTOR

MULTI-LEVEL DECELERATION

TIRE REMOVAL IS MORE POWERFUL

Motor power: 4KW

Inlet pressure: 0.8-1.2MPA

Rotate speed: 4 RPM

Weight: 155kgs

Voltage: 380V

Product size: 860*450*280mm



Suitable tire models: 22.5" series vacuum tyres(16"/17.5-19.5" optional)

Machine standard disassembly tooling and optional tooling:

Bird Head Classification



16" Bird Head Classification

Apply to 16" tires used for steel rims

16" tires is smaller compare other tires, need equip with flange



17.5"-19.5" Bird Head Classification

Apply for 17.5-19.5 tires used for steel rim

This range with smaller tires like 205/215/235/245



22.5" Bird Head Classification

Apply for 22.5" tires used for steel rim

Mostly used for truck, trailer truck, used for 22.5" steel rim 11.00/12.00/13.00

SCOPE OF APPLICATION



Vacuum Tire Changer

Apply for 16"/17.5-19.5"/22.5" truck rims

There are many types of tires. The use of tire changer mainly decided by the size of the steel rim. As long as the steel rim is suitable, mostly tires can use it.

16" TIRES

6.50R16	7.00R16
7.50R16	8.25R16

17.5-19.5 TIRES

205	215	235	245
-----	-----	-----	-----

22" TIRES

11.00	12.00	13.00
275	295	315



Tire Lever Tire changing Bar



INTEGRATED MOLDING

STRONG AND DURABLE

High grade manganese steel chrome plated tire lever



Size(mm)	Weight(kg)	Qty/CTN(PCS)
300×19×6	0.2	200
300×25×9	0.4	50
400×25×9	0.47	50
450×25×9	0.51	50
500×25×9	0.65	50
600×30×11	1.2	25
700×30×11	1.4	25
800×30×11	1.6	25

*All products are measured by hand. If there is any deviation, the actual product shall prevail



High carbon steel thickened tire lever

Size(mm)	Weight(kg)	Qty/CTN(PCS)
500×29×10	0.9	50
600×29×10	1.1	50
700×29×10	1.3	50
800×29×10	1.5	40
800×29×14	1.92	25
900×29×10	1.7	30
900×29×14	2.3	25
1000×29×10	1.76	20
1000×29×14	2.5	20

*All products are measured by hand. If there is any deviation, the actual product shall prevail



盛世伟业
SHENG SHI WEI YE



Tire changer used lateral bend tire lever

High hardness

Multi-function

Product Name	Size MM	Weight	QTY/CTN
Tire changer used lateral bend tire lever	500x25x9	0.65	50PCS
Tire changer used lateral bend tire lever(flat plate)	500x25x8	0.7	30PCS

*All products are measured by hand. If there is any deviation, the actual product shall prevail



盛世伟业
SHENG SHI WEI YE

High grade manganese steel chrome plated tire bar

High hardness

Multi-function

Size	Length	Dia	Weight
20"	50cm	17mm	0.78kg
24"	60cm	17mm	0.9kg
28"	70cm	17mm	1.08kg
32"	80cm	17mm	1.25kg

*All products are measured by hand. If there is any deviation, the actual product shall prevail



Tubeless Tire Changing Tool

High hardness

Multi-function

Color	Size(mm)	Weight	QTY/CTN
Black	95x19	2.3kgs	10PCS
Yellow	1050x25	4kgs	10PCS

*All products are measured by hand. If there is any deviation, the actual product shall prevail

